



Responsible Pest Management

Strategy

We're committed to working with farmers and industry experts to reduce pesticide risks using a three-part strategy:

1. **Supplier standards:** Through our Responsible Sourcing Supplier Code, we expect all ingredient suppliers to adopt advanced integrated pest management (IPM) practices.
2. **Monitoring:** Through our sustainable agriculture programs, we collect grower data on pesticide use and IPM adoption annually to monitor risks and identify opportunities.
3. **Assessments and programs:** For tomatoes, potatoes, and wheat, we conduct pesticide risk assessments and then build programs to reduce major risks.

2025 Reporting Update

We work with our wheat sustainability data partners to calculate cover crop adoption rates by growers across our [sustainable wheat program](#). Consistent with the industry, we define a cover crop as any plant grown between two cash crops for the purpose of protecting bare ground and building soil health. Cover cropping is an important integrated pest management practice because it helps to suppress disease and pest pressures, potentially reducing the need for chemical pesticides in a field.

Among the annual acres enrolled in our wheat sustainability program in crop years 2020-2022, about 7% of land benefited from cover crops, slightly higher than the national average of 5% ([USDA](#)). Additionally, many of our growers plant commercial wheat in the winter, which also protects the soil versus leaving the ground bare from late fall to early spring.

We also collaborated with the [IPM Institute](#) to annually track risks associated with pesticide applications by our contract tomato and potato growers. To do this, we utilize two pesticides rating systems.

First, we utilize the U.S. Environmental Protection Agency's (EPA) signal words ratings¹ (found on pesticide labels) as indicators of potential acute hazards to nearby humans. According to this framework, in crop years 2021-2023, 97% and 94% of pesticide applications in our growers' tomato and potato fields, respectively, avoided use of pesticides classified as most hazardous to nearby humans.

Second, we utilize the University of California's Bee Precaution pesticides ratings as indicators of potential hazards to nearby pollinators. According to this framework, in crop years 2021-2023, 64% and 82% of pesticide applications in tomato and potato fields, respectively, avoided use of pesticides classified as highly hazardous to nearby pollinators. As illustrated in the "[Minimizing Pesticide Drift](#)" story in our 2022 Corporate Responsibility Report, Campbell continues to promote pollinator protection in partnership with our growers.

Updated March 2025

¹ EPA signal words are an indication of the acute toxicity of pesticides to nearby humans (i.e., to pesticide applicators, other farm workers, or bystanders), through different routes of exposure (oral, dermal, and inhalation during and immediately after pesticide applications) and are not designed to assess potential hazards to consumers of ingredients. We require our suppliers to follow the standards for pesticide use set by the EPA and state regulatory agencies. More information on pesticides and food safety can be found on the [EPA's website](#).